


Dividers, Internal and External Spring Joint Compasses

BLUE-LINE® Spring Divider DIN 6486

- steel, polished
- square legs, with hardened tips
- with quick nut for quick positive adjustment



ART N°	→ ←	KG
302420	100	0.090
302421	125	0.100
302422	150	0.135
302423	175	0.165
302424	200	0.170
302425	250	0.270
302426	300	0.325
302427	400	0.340
302428	500	0.460

ART N°	→ ←	KG
302680	100	0.090
302681	125	0.100
302682	150	0.135
302683	175	0.165
302684	200	0.170
302685	250	0.270
302686	300	0.325
302687	400	0.340
302688	500	0.460

BLUE-LINE® Internal and External Spring Joint Compass DIN 6482/6484

- steel, polished
- square legs, with hardened tips
- with quick nut for quick positive adjustment



ART N°	→ ←	KG
302440	100	0.090
302441	125	0.115
302442	150	0.125
302443	175	0.150
302444	200	0.180
302445	250	0.220
302446	300	0.255
302447	400	0.335
302448	500	0.415

ART N°	→ ←	KG
302460	100	0.100
302461	125	0.130
302462	150	0.145
302463	175	0.180
302464	200	0.190
302465	250	0.230
302466	300	0.265
302467	400	0.350
302468	500	0.445

Dividers, Internal and External Joint Compasses



Divider and Divider with Setting Wing

DIN 6486

- steel, polished
- square legs, with hardened tips
- with rivet



ART N° Divider		 KG	ART N° with setting wing		 KG	ART N° with holder		 KG
302402	150	0.125	302412	150	0.100	302472	150	0.135
302403	175	0.170	302413	175	0.160	302473	175	0.145
302404	200	0.180	302414	200	0.190	302474	200	0.180
302405	250	0.245	302415	250	0.275	302475	250	0.280
302406	300	0.295	302416	300	0.320	302476	300	0.335
302407	400	0.435	302417	400	0.525	302477	400	0.405
302408	500	0.500	302418	500	0.580	302478	500	0.590



Internal and External Joint Compass

DIN 6482 / 6484

- steel, polished
- with flat legs
- with rivet



ART N° Inside Compass		 KG	ART N° Outside Compass		 KG
302432	150	0.065	302452	150	0.085
302433	175	0.070	302453	175	0.095
302434	200	0.080	302454	200	0.105
302435	250	0.110	302455	250	0.150
302436	300	0.190	302456	300	0.240
302437	400	0.210	302457	400	0.290
302438	500	0.370	302458	500	0.380



1
2
3
4
5
6a
7
8
9
10
11

Precision Trammels

ATTENTION
We charge transport and packing costs
for articles marked with *!

★★★★★ BLUE-LINE® Trammel

- steel, with hardened, exchangeable points
- flat beam, with fine adjustment
- with fixing screws



ART No	mm	mm	KG
302911	500	0.1	1.180
302912	1000	0.1	2.240
302913	1500	0.1	2.940
302914*	2000	0.1	3.800
302915*	3000	0.1	4.750

ART No	ART No
spare points, in pair, hardened	spare points, in pair, carbide
302986	302996
302986	302996
302986	302996
302986	302996
302986	302996

★★★★★ BLACK-LINE® Precision In- and Outside Caliper


- made of Dur-Aluminium, hardened with HRC63
- scratch-resistant, black anodized surface
- laser engraved, clear reading scale



ART No	mm	mm	total length mm	KG
303306	120	0.1	190	0.100
303307	160	0.1	250	0.185
303308	200	0.1	310	0.265
303309	250	0.1	380	0.400
303310	300	0.1	460	0.620

★★★★★ BLUE-LINE® Compass Vernier Caliper

- for accurate marking owing to parallel position of the scribe jaws
- special steel, reading scale in matt chrome finish
- with fixing screw
- with carbide tips or hardened tips at your choice



ART No hardened tips	ART No carbide tips	mm	for σ mm	mm	KG
303002	303102	150	300	0.1	0.150
303003	303103	200	400	0.1	0.180
303004	303104	250	500	0.1	0.210
303005	303105	300	600	0.1	0.250